

Anti-breast carcinoma effects of green synthesized nickel nanoparticles from *Alhagi sparsifolia* leaf aqueous extract: A pre-clinical trial study

Type

Research paper

Keywords

Anti-human breast cancer effects, Antioxidant properties, Chemotherapeutic drug, Cytotoxicity activities, Green formulation, Nickel nanoparticles

Abstract

Introduction

Many nanoparticles have pharmacological and biochemical properties, including antioxidant and anti-inflammatory properties, which appear to be involved in anticarcinogenic and antimutagenic activities. In the recent study, nickel nanoparticles were green-synthesized using the *Alhagi sparsifolia* leaf aqueous extract.

Material and methods

The synthesized Ni nanoparticles were characterized by analytical techniques including SEM, UV-Vis., and FT-IR. The nanoparticles were formed in a spherical shape in the average size of 16.19 nm.

Results

In the antioxidant test, the IC₅₀ of Ni nanoparticles and BHT against DPPH free radicals were 316 and 231 µg/mL, respectively. In the cellular and molecular part of the recent study, the treated cells with Ni nanoparticles were assessed by MTT assay for 48h about the cytotoxicity and anti-human breast cancer properties on normal (HUVEC) and breast cancer cell lines i.e. lobular carcinoma of breast (UACC-3133), inflammatory carcinoma of the breast (UACC-732), and metastatic carcinoma (MDA-MB-453). The viability of malignant breast cell line reduced dose-dependently in the presence of Ni nanoparticles. The IC₅₀ of Ni nanoparticles were 477, 548, and 605 µg/mL against lobular carcinoma of breast (UACC-3133), inflammatory carcinoma of the breast (UACC-732), and metastatic carcinoma (MDA-MB-453) cell lines, respectively.

Conclusions

After clinical study, nickel nanoparticles containing *Alhagi sparsifolia* leaf aqueous extract may be used to formulate a new chemotherapeutic drug or supplement to treat the several types of human breast cancer.

Anti-breast carcinoma effects of green synthesized nickel nanoparticles from *Alhagi sparsifolia* leaf aqueous extract: A pre-clinical trial study

Qingquan Ren¹, Samaneh Goorani², Behnam Mahdavi³, Khodabakhsh Rashidi⁴, Mohammad Mahdi Zangeneh^{5*}

¹ Department of Chest Surgery, Yan'an University Affiliated Hospital, Yan'an, 716000, China

² Department of Toxicology, Faculty of Veterinary Medicine, University of Tehran, Tehran, Iran

³ Department of Chemistry, Faculty of Science, Hakim Sabzevari University, Sabzevar, Iran

⁴ Research Centre of Oils & Fats, Kermanshah University of Medical Sciences, Kermanshah, Iran

⁵ Biotechnology and Medicinal Plants Research Center, Ilam University of Medical Sciences, Ilam, Iran

***Corresponding author: Mohammad Mahdi Zangeneh; m.mehdizangeneh@yahoo.com**

Preprint

Anti-breast carcinoma effects of green synthesized nickel nanoparticles from *Alhagi sparsifolia* leaf aqueous extract: A pre-clinical trial study

Abstract

In the recent study, nickel nanoparticles were green-synthesized using the *Alhagi sparsifolia* leaf aqueous extract. The synthesized Ni nanoparticles were characterized by analytical techniques including SEM, UV-Vis., and FT-IR. The nanoparticles were formed in a spherical shape in the average size of 16.19 nm. In the antioxidant test, the IC₅₀ of Ni nanoparticles and BHT against DPPH free radicals were 316 and 231 µg/mL, respectively. In the cellular and molecular part of the recent study, the treated cells with Ni nanoparticles were assessed by MTT assay for 48h about the cytotoxicity and anti-human breast cancer properties on normal (HUVEC) and breast cancer cell lines i.e. lobular carcinoma of breast (UACC-3133), inflammatory carcinoma of the breast (UACC-732), and metastatic carcinoma (MDA-MB-453). The viability of malignant breast cell line reduced dose-dependently in the presence of Ni nanoparticles. The IC₅₀ of Ni nanoparticles were 477, 548, and 605 µg/mL against lobular carcinoma of breast (UACC-3133), inflammatory carcinoma of the breast (UACC-732), and metastatic carcinoma (MDA-MB-453) cell lines, respectively. After clinical study, nickel nanoparticles containing *Alhagi sparsifolia* leaf aqueous extract may be used to formulate a new chemotherapeutic drug or supplement to treat the several types of human breast cancer.

Keywords: Anti-human breast cancer effects; Antioxidant properties; Chemotherapeutic drug; Cytotoxicity activities; Green formulation; Nickel nanoparticles.

1. Introduction

For many years, herbal medicines have been used and are still used in developing countries as the primary source of medical treatment. Plants have been used in medicine for their natural antiseptic properties. Thus, research has developed into investigating the potential properties and uses of terrestrial plants extracts for the preparation of potential nanomaterial based drugs for diseases including cancer [1-4]. Many plant species are already being used to treat or prevent development of cancer. Multiple researchers have identified species of plants that have demonstrated anticancer properties with a lot of focus on those that have been used in herbal medicine in developing countries [6-9]. Recently, the anticancer effects of *Tinospora cordifolia*, *Sophora subprostrata*, *Euphoria hirta*, *Barleria prionitis*, *Lubinus perennis*, *Maytenus boaria*, *Cephaelis acuminata*, *Phyllanthus niruri*, *Solanum seaforthianum*, *Boswellia serrate*, *Lavendula officinalis*, and *Cephalotaxus harringtonia* drupacea have been proved [10].

In recent centuries, the application of nanotechnology has played an important role in the development of science. Nanoparticles are widely used because of their high surface-to-volume ratio, small size, and excellent reactivity. One of the most important advances in nanotechnology is the production and application of nanoparticles in the biological sciences [10-13]. Nanoscience has shown that if we reduce the size to nanometers, unique properties such as optical properties, electrical conductivity, hardness, and chemical reaction will be obtained [10-12]. There are three biological, chemical, and physical methods to synthesize the nanoparticles. Chemical and physical methods are time-consuming and costly. In addition, these methods use some toxic additive chemicals that cause adverse effects on medical applications by adsorption on the surface. Applying the principles of green chemistry has decreased the use of toxic compounds or hazardous solvents, provided optimal regeneration conditions and ameliorated materials for the chemical processes, and raised new sources for green synthesis [12-14]. Therefore, one of the primary goals of green nanotechnology is to produce nanomaterials without harm to human health or environment, and to develop and design nanomaterials and products that are suitable solutions to environmental problems. The synthesis of nanoparticles by similar biological methods results in greater catalytic activity and limits the use of toxic and expensive chemicals [10-13]. In biological methods, plant extracts, enzymes or proteins carrying natural resources are used to produce or stabilize nanoparticles. The nature of the materials used to make nanoparticles influences the shape, structure and morphology of these nanoparticles [10-14]. Biological systems involved in the green synthesis of nanoparticles, plants and their derivatives, as well as microorganisms such as algae, fungi, and bacteria. Plant parts such as roots, leaves, stems, fruits, and tiny parts such as the kernel and skin of the fruit are suitable to synthesize the nanoparticles because their extracts are rich in phytochemicals that act as stabilizing and reducing substances [10-13]. The use of natural plant extracts is a cheap and environmentally friendly process and does not require intermediate groups. Short time, no need for expensive equipment, precursors, high purity product and excellent quality without impurities are the features of this method. This is possible very quickly, at room temperature and pressure as well as easily on a large scale. Bio-reduction in the

conversion of base metal ions is carried out by various plant metabolites such as alkaloids, phenolic compounds, terpenoids and coenzymes [14,15]. Nanoparticles centered on inorganic materials such as magnetic metals, their oxides and alloys, and semiconductors have the most studies and potential in biomedicine from diagnosis to treatment of diseases [11-13]. Nanoparticles are generally effective in a wide variety of sectors that if their production is based on green chemistry, they have great applications in the fields of food, medicine, cosmetics and health. The effects of nanoparticles should be predictable, controllable and get the desired results with minimal toxicity. Metallic nanoparticles used in treatment and diagnosis, in addition to being non-toxic, must be biocompatible and stable *in vivo*. Also, by making appropriate changes in the surface of metallic nanoparticles, they will have a wide range of applications by binding to biomolecules and various carriers to cross the cell membrane and target the desired part in the body. One of the important points in the production of nanoparticles is the use of cost-effective and efficient precursors [12-15].

In the current research, the properties of nickel nanoparticles formulated by *Alhagi sparsifolia* leaf aqueous extract against common breast cancer cell lines i.e. lobular carcinoma of breast (UACC-3133), inflammatory carcinoma of the breast (UACC-732), and metastatic carcinoma (MDA-MB-453) were evaluated.

2. Material and Methods

2.1. Green synthesis and chemical characterization of Ni nanoparticles

First, the dried leaves of *Alhagi sparsifolia* were grounded. Then, 75 g of the sample was macerated in 800 mL of boiling water for 5 h. After that, the extract was filtrated and evaporated to concentrate. Finally, the extract was placed in a freeze drier for 72 h. The obtained extract as brown powder was kept in cold place.

The green synthesis of nickel nanoparticles was carried out according to a previous study [38]. A 20 mL of *Alhagi sparsifolia* extract (1 g in 10 mL of deionized water) was added to 50 mL of 15 mM NiSO₄. 6H₂O in a flask. Then, to adjust of the pH, 2 mL of NaOH (1%) was added dropwise and shake for 25 minutes. Next the flask was put in an ultrasonic bath (75 W) for 30 min. The NiNPs was formed as green participates during the reaction time. The NiNPs was washed with water for three times and then centrifuged at 10000 rpm for 15 min. Finally, the precipitate was dried in an oven at 45 °C.

2.2. Antioxidant activities of Ni nanoparticles

The free radical scavenging test was first performed by Blois in 1958, and after some modification by numerous studies in its current form. DPPH method is one of the most widely used methods for estimating antioxidant content. DPPH is a stable radical that reacts with hydrogen atom compounds. This test is based on the inhibition of DPPH, which causes the decolorization of DPPH solution by adding radical species or antioxidants. DPPH changes color from purple to yellow by taking an electron from the antioxidant compound. The free radicals in DPPH are adsorbed at 517 nm, which follows Beer Lambert's law, and decreased absorption is linearly related to the amount of antioxidants; the higher the amount of antioxidants, the more DPPH is consumed and the more purple turns yellow [15].

The degree of inhibition of DPPH radicals was evaluated by Shaneza et al. (2018) [15]. For this purpose, solutions with different samples of the Ni nanoparticles of variable concentrations (0-1000 µg/mL) as well as synthetic antioxidant BHT in methanol solvent were prepared. The test method was that one ml of DPPH methanolic solution (at a concentration of 1 mM) was added to 4 ml of the extract and the resulting mixture was stirred vigorously. The test tubes were placed in a dark place for 60 minutes. After this period, the absorbance was read at 517 nm. Finally, the DPPH radicals' inhibition percentage of the Ni nanoparticles was calculated by the below formula [15]:

$$\text{Inhibition (\%)} = \frac{\text{Sample A.}}{\text{Control A.}} \times 100$$

IC50 factor was used to evaluate better the antioxidant activity, which indicates the concentration of the Ni nanoparticles that can reduce the concentration of free radical DPPH. The initial is 50% of the initial value, and the lower the amount, the greater the antioxidant activity [15].

2.3. Anti-human breast cancer potentials of Ni nanoparticles

In this research, we used the following Cell lines to evaluating anti-human breast cancer and cytotoxicity effects of Ni nanoparticles using an MTT method.

- a) Human breast cancer cell lines: Lung well-differentiated bronchogenic adenocarcinoma (HLC-1), lung moderately differentiated adenocarcinoma (LC-2/ad), and lung poorly differentiated adenocarcinoma (PC-14).
- b) Normal cell line: HUVEC.

Because nanoparticles is not soluble directly in 1640-RPMI medium and also the solvent of dimethyl sulfoxide nanoparticles (DMSO) itself has cytotoxic effects, to eliminate the effect of this substance on treated cells, its amount in the final solution is considered less than 1%. Dimethyl sulfoxide is not toxic to concentrations less than 1% and the concentration of this solvent is important in this regard. For this purpose, 1000 µg of nanoparticle was dissolved in 100 µl of dimethyl sulfoxide solvent after weighing. Then 1 ml of culture medium was added for better dissolution and finally the volume of solution was increased to 24 ml using culture medium: Then,

successive dilutions of this stock were used in the proportions of 1-1000 µg/ml. Eleven concentrations were used for the cell lines [17].

In this study, 100 microliters of culture medium containing 10^4 cells per plate 96 were placed. After 24 hours, incubation of concentrations of 1-1000 micrograms per milliliter of nanoparticles was added to the cells, and incubated for 24, 48, and 72 hours, respectively. After these times, 20 µl of MTT plate with a concentration of 5 mg/ml was added to each cell and incubated in the dark for another 4 hours. After some time, the MTT medium was carefully removed, and 200 microliters of acidified isopropanol were added to each plate to remove the purple formans. After 15 minutes of incubation at room temperature, the light absorption of each well was read using an ELISA at 570 nm against a reference wavelength of 690 nm. The findings were reported as cell survival and IC50 (concentration that inhibits cell growth up to 50%) based on the concentration curve (µg/ml) [17].

It should be noted that the effect of each concentration of the nanoparticles on cell lines was investigated in five independent experiments. According to the values of light absorption obtained by the ELISA reader, the percentage of growth inhibition related to each concentration was calculated using the following formula:

$$\text{Cell viability (\%)} = \frac{\text{Sample A.}}{\text{Control A.}} \times 100$$

Finally, linear regression was done to gain IC50, which indicates the nanoparticles concentration, which causes 50% cancer cell growth inhibition. Using the curve, the line equation for cancer cells was obtained, respectively, then by replacing 50% inhibition in the equation, the IC50 value for cancer cells was obtained [17].

2.4. Statistical analysis

SPSS statistical software version 22 was used for data analysis and the findings were determined as the mean standard deviation of 5 replications. Data were analyzed using one-way analysis of variance and Duncan post hoc test and the significance level in the test was considered 0.05.

3. Results and Discussion

3.1. Chemical characterization of Ni nanoparticles

UV-Vis. analysis: The UV-Vis. spectra of the green-synthetic nanoparticles of Ni nanoparticles is presented in figure 1. The surface plasmon resonance (SPR) of Ni nanoparticles was completed using UV-Vis. spectroscopy. The produce of the biosynthetic Ni nanoparticles was observed. The advanced SPR bands at the wavelength of 321 nm approved the formation of the nickel nanoparticles. The bands are very close to a previously reported on the green synthesized of nickel nanoparticles [18,19].




Figure 1: UV-Vis. the spectrum of biosynthesized *Ni nanoparticles*

FT-IR analysis: The FT-IR spectrum of nickel nanoparticles is shown in Figure 2. The formation of Ni nanoparticles is approved by the presence of the peaks at wavenumbers of 452 and 561 cm^{-1} . These peaks attribute to bending vibration of Ni-O. Similar peaks with some differences in the wavenumber have been reported for green-synthetic Ni nanoparticles by other research groups [20-22]. The other peaks in the spectrum are attributed to the functional groups of different organic compounds in *Alhagi sparsifolia* extract, which are linked to the surface of Ni nanoparticles. The presence of secondary metabolites such as phenolic, flavonoid, triterpenes in *Alhagi sparsifolia* extract has been reported previously [7-9]. The peaks in 3425 and 2931 cm^{-1} are related to O-

H and aliphatic C-H stretching; the peaks from 1411 to 1680 cm^{-1} are corresponded to C=C and C=O stretching, and the peaks at 1193 and 1107 cm^{-1} could be ascribed to -C-O and C-O-C stretching.




Figure 2: FT-IR spectra of biosynthesized *Ni nanoparticles*

SEM analysis: The morphology of Ni nanoparticles was assessed by the SEM technique. Figure 3 presents the SEM of Ni nanoparticles. The images show the spherical shape for the nanoparticles with average particle size of 16.19 nm. Furthermore, the nanoparticles are aggregated. In our literature review, 10 to 100 nm was reported for biosynthesized of nickel using plant extracts as the capping agent [23-29].




Figure 3. SEM Images of *FeSNPs*

3.2. Cytotoxicity, anti-human breast cancer, and antioxidant activities of Ni nanoparticles

Cancer is recognized as one of the leading causes of death in today's society and several drugs have been introduced to treat this disease, but, most common cancers are not yet controllable and this disease imposes huge costs on the patient and society [30-32]. The main factor in the development and progression of cancer has not yet been precisely identified, however, the available data suggest that metabolic disorders in the tissue and immune disorders may be involved in the development and exacerbation of this disease. In addition, metabolic disorders in the production and excretion of oxygen free radicals are important factors affecting cancer cells [33-35]. Free radicals are destructive compounds that are produced as a by-product by the body's chemical reactions and are destroyed by the body's defense system and enzyme system and antioxidants. However, in cases where the body's metabolic disorders and the production of free radicals are high and they are not destroyed by the neutralizing system, due to their instability, these compounds have a strong tendency to react with a variety of molecules in the body [31-34]. It is estimated that each cell in the human body is exposed to free radicals 10,000 times a day and DNA strands 5,000 times a day. Damage to cell components includes proteins (genetic disorder), fats (lipid oxidation), and cell membranes (permeability disorder) that if the damage is not repaired, it leads to

disruption of the chemical reaction and normal proteinization of the cell and the formation of harmful compounds and sometimes cancer cells in the body [35-38]. It is reported that thousands of cancer cells are produced daily in the human body that are killed by the body's defense system. In some cases, due to dysfunction of the above systems, cancer cells proliferate and conditions for cancer development in different tissues [31-35]. According to the above, antioxidants play a vital role in preventing disorders caused by the effects of free radicals and thus the prevention and treatment of cancer. Antioxidants are a wide range of molecular compounds with complex properties that combine with and neutralize free radicals. The results show that more than 60,000 types of molecular antioxidants have been identified so far. Antioxidants can be effective in three known ways to prevent and treat cancer; 1. Destruction of free radicals 2. Strengthen the immune system to destroy cancer cells. Prevent the adhesion of cancer cells to other cells and prevent their proliferation [32-36].

In this investigation, the treated cells with different concentrations of the present nickel salt, *Alhagi sparsifolia* leaf aqueous extract, and Ni nanoparticles were assessed by MTT assay for 48h about the cytotoxicity properties on normal (HUVEC) and breast malignancy cell lines i.e. lobular carcinoma of breast (UACC-3133), inflammatory carcinoma of the breast (UACC-732), and metastatic carcinoma (MDA-MB-453). The absorbance rate was evaluated at 570 nm, which represented viability on normal cell line (HUVEC) even up to 1000 μ g/mL for nickel salt, *Alhagi sparsifolia* leaf aqueous extract, and Ni nanoparticles (Tables 1 and Figure 4). The viability of malignant breast cell line reduced dose-dependently in the presence of nickel salt, *Alhagi sparsifolia* leaf aqueous extract, and Ni nanoparticles. The IC₅₀ of Ni nanoparticles were 477, 548, and 605 μ g/mL against lobular carcinoma of breast (UACC-3133), inflammatory carcinoma of the breast (UACC-732), and metastatic carcinoma (MDA-MB-453) cell lines, respectively (Tables 1 and Figure 4).




Fig. 4. The anti-human breast cancer properties of Ni nanoparticles against infiltrating lobular carcinoma of breast (UACC-3133 (A)), inflammatory carcinoma of the breast (UACC-732 (B)), and metastatic carcinoma (MDA-MB-453 (C)) cell lines.

Table 1. The IC₅₀ of Ni nanoparticles in the anti-human breast cancer tests.

Cells		Ni nanoparticles (µg/mL)
Human breast cancer cells	UACC-3133	477
	UACC-732	548

Many nanoparticles have pharmacological and biochemical properties, including antioxidant and anti-inflammatory properties, which appear to be involved in anticarcinogenic and antimutagenic activities [37-39]. It seems that the anti-human breast cancer effect of recent nanoparticles is due to their antioxidant effects. Because tumor progression is so closely linked to inflammation and oxidative stress, a compound with anti-inflammatory or antioxidant properties can be an anticarcinogenic agent [37,38].

In this study, we assessed the antioxidant properties of *Alhagi sparsifolia* leaf aqueous extract green-synthesized Ni nanoparticles by using the DPPH test as a common free radical. Antioxidants produced in the body fight free radicals with two systems: enzymatic defense and non-enzymatic defense. Superoxide dismutase, catalase, and glutathione peroxidase metabolize lipid peroxide, hydrogen peroxide, and superoxide and prevent the production of toxic hydroxyl radicals [12,15]. In non-enzymatic defense, there are two classes of fat-soluble antioxidants (such as carotenoids and vitamin E) and water-soluble (glutathione and vitamin C) that trap free radicals. These two systems help neutralize oxidants. However, oxidants can escape from antioxidants and damage tissues. In this case, the activated antioxidant repair system (which is the enzymes lipase, protease, transferase and DNA repair enzymes), counteract the oxidant effects. However, due to deficiencies in the production of antioxidants in the body or due to physiopathological factors and situations (such as smoking, air pollution, UV radiation, diets containing high unsaturated fatty acids, inflammation, ischemia, bleeding, etc) that ROS are yielded in large quantities at the wrong place and time, oral antioxidants are needed to counteract the oxidative damage cumulative effects [11,12,15].

The scavenging capacity of *Alhagi sparsifolia* leaf aqueous extract green-synthesized Ni nanoparticles and BHT at different concentrations expressed as percentage inhibition has been indicated in Figure 5.

In the antioxidant test, the IC₅₀ of Ni nanoparticles and BHT against DPPH free radicals were 316 and 231 µg/mL, respectively (Figure 5).




Fig. 5. The antioxidant properties of Ni nanoparticles and BHT against DPPH.

4. Conclusion

In summary, the nanoparticles were characterized using common chemical techniques such as UV-Visible, FT-IR, and SEM. The SEM images indicated a spherical morphology for Ni nanoparticles with average size of 16.19 nm, which is well known as a sufficient size for the synthetic nanoparticles.

The IC₅₀ of Ni nanoparticles and BHT against DPPH free radicals were 316 and 231 µg/mL, respectively. The viability of malignant breast cell line reduced dose-dependently in the presence of Ni nanoparticles. The IC₅₀ of Ni nanoparticles were 477, 548, and 605 µg/mL against lobular carcinoma of breast (UACC-3133), inflammatory carcinoma of the breast (UACC-732), and metastatic carcinoma (MDA-MB-453) cell lines, respectively. After clinical study, Ni nanoparticles containing *Alhagi sparsifolia* leaf aqueous extract can be utilized as an efficient drug in the treatment of breast cancer in humans.

Ethics explanation

This research was approved by Yan'an University Affiliated Hospital animal ethical committee, Approved No. YAUAH20201925

References

- [1] N. Ahmad, Z.K. Shinwari, J. Hussain, R. Perveen, Phytochemicals, antibacterial and antioxidative investigations of *Alhagi maurorum medik*, *Pakistan Journal of Botany*, 47 (2015) 121-124.
- [2] B. Olas, A.I. Hamed, W. Oleszek, A. Stochmal, Comparison of biological activity of phenolic fraction from roots of *Alhagi maurorum* with properties of commercial phenolic extracts and resveratrol, *Platelets*, 26 (2015) 788-794.
- [3] S. Akbar, *Handbook of 200 medicinal plants: A comprehensive review of their traditional medical uses and scientific justifications*, DOI (2020).
- [4] M.S.M. Al-Saleem, L.H. Al-Wahaib, W.M. Abdel-Mageed, Y.G. Gouda, H.M. Sayed, Antioxidant flavonoids from *Alhagi maurorum* with hepatoprotective effect, *Pharmacognosy Magazine*, 15 (2019) 592.
- [5] A. Hamed, A. Perrone, U. Mahalel, W. Oleszek, A. Stochmal, S. Piacente, Oleanane glycosides from the roots of *Alhagi maurorum*, *Phytochemistry Letters*, 5 (2012) 782-787.
- [6] A. Al-Snai, M.L. Al-Kamel, M.E. Esmael, Antifungal effect of *Alhagi maurorum* phenolic extract, *IOSR Journal of Pharmacy*, 9 (2019) 7-14.
- [7] A.H. Laghari, S. Memon, A. Nelofar, K.M. Khan, *Alhagi maurorum*: A convenient source of lupeol, *Industrial Crops and Products*, 34 (2011) 1141-1145.
- [8] A. Awaad Amani, D. Maitland, G. Soliman, Antiulcerogenic activity of *Alhagi maurorum*, *Pharmaceutical biology*, 44 (2006) 292-296.
- [9] A.H. Laghari, A. Ali Memon, S. Memon, A. Nelofar, K.M. Khan, A. Yasmin, Determination of free phenolic acids and antioxidant capacity of methanolic extracts obtained from leaves and flowers of camel thorn (*Alhagi maurorum*), *Natural product research*, 26 (2012) 173-176.
- [10] A. Soni, R. Krishnamurthy, *Indian J Plant Sci.* 2013, 2, 117-125.
- [11] W. S. Hummers, R. E. Offeman. *J. Am. Chem. Soc.* 80 (1958) 1339-1339.
- [12] Kooti W, Servatyari K, Behzadifar M, et al. Effective Medicinal Plant in Cancer Treatment, Part 2: Review Study. *J Evid Based Complementary Altern Med.* 2017;22(4):982-995. doi:10.1177/2156587217696927.

[13] (a) Sujayev, A., Taslimi, P., Garibov, E., Karaman, M., Zangeneh, M.M., 2020. *Bioorg. Chem.* 104: 104216. (b) Sun, T., Gao, J., Shi, H., Han, D., Zangeneh, M.M., Liu, N., Liu, H., Guo, Y., Liu, X., 2020. *Int. J. Biol. Macromol.* 165: 787-795.

[14] (a) Abdoli, M., Sadrjavadi, K., Arkan, E., Zangeneh, M.M., Moradi, S., Zangeneh, A., Shahlaei, M., Khaledian S. 2020. *J Drug Deliv Sci Technol.* 60, 102044. (b) Dou, L., Zhang, X., Zangeneh, M.M., Zhang, Y. 2020. *Bioorg. Chem.* 106: 104468. (c) Han, Y., Gao, Y., Cao, X., Zangeneh, M.M., Liu, S., Li, J. 2020. *Int. J. Biol. Macromol.* 164: 2974-2986.

[15] Shaneza A *et al.* Herbal treatment for the ovarian cancer. *SGVU Journal of Pharmaceutical Research & Education*, 2018; 3(2): 325-329.

[16] Y. Wei, Z. Fang, L. Zheng, L. Tan, E.P. Tsang, Green synthesis of Fe nanoparticles using *Citrus maxima* peels aqueous extracts, *Materials Letters*, 185 (2016) 384-386.

[17] Arunachalam KD *et al.* One-step green synthesis and characterization of leaf extract-mediated biocompatible silver and gold nanoparticles from *Memecylon umbellatum*. *Int J Nanomedicine.* 2003; 8: 1307-1315.

[18] M. Harshiny, C.N. Iswarya, M. Matheswaran, Biogenic synthesis of iron nanoparticles using *Amaranthus dubius* leaf extract as a reducing agent, *Powder technology*, 286 (2015) 744-749.

[19] L. Katata-Seru, T. Moremedi, O.S. Aremu, I. Bahadur, Green synthesis of iron nanoparticles using *Moringa oleifera* extracts and their applications: Removal of nitrate from water and antibacterial activity against *Escherichia coli*, *Journal of Molecular Liquids*, 256 (2018) 296-304.

[20] Y. Zhang, B. Mahdavi, M. Mohammadhosseini, E. Rezaei-Seresht, S. Paydarfard, M. Qorbani, M. Karimian, N. Abbasi, H. Ghaneialvar, E. Karimi, Green synthesis of NiO nanoparticles using calendula officinalis extract: chemical characterization, antioxidant, cytotoxicity, and anti-esophageal carcinoma properties, *Arabian Journal of Chemistry*, 14 (2021) 103105.

[21] J. Iqbal, B.A. Abbasi, T. Mahmood, S. Hameed, A. Munir, S. Kanwal, Green synthesis and characterizations of Nickel oxide nanoparticles using leaf extract of *Rhamnus virgata* and their potential biological applications, *Applied Organometallic Chemistry*, 33 (2019) e4950.

[22] B. Mahdavi, S. Paydarfard, M.M. Zangeneh, S. Goorani, N. Seydi, A. Zangeneh, Assessment of antioxidant, cytotoxicity, antibacterial, antifungal, and cutaneous wound healing activities of green synthesized manganese nanoparticles using *Ziziphora clinopodioides* Lam leaves under in vitro and in vivo condition, *Applied Organometallic Chemistry*, 34 (2020) e5248.

[23] B. Mahdavi, S. Saneei, M. Qorbani, M. Zhaleh, A. Zangeneh, M.M. Zangeneh, E. Pirabbasi, N. Abbasi, H. Ghaneialvar, *Ziziphora clinopodioides* Lam leaves aqueous extract mediated synthesis of zinc nanoparticles

and their antibacterial, antifungal, cytotoxicity, antioxidant, and cutaneous wound healing properties under in vitro and in vivo conditions, *Applied Organometallic Chemistry*, 33 (2019) e5164.

[24] M. Baghayeri, B. Mahdavi, Z. Hosseinpour-Mohsen Abadi, S. Farhadi, Green synthesis of silver nanoparticles using water extract of *Salvia leriifolia*: Antibacterial studies and applications as catalysts in the electrochemical detection of nitrite, *Applied Organometallic Chemistry*, 32 (2018) e4057.

[25] A.C. Nwanya, M.M. Ndipingwi, C.O. Ikpo, R. Obodo, S.C. Nwanya, S. Botha, F.I. Ezema, E.I. Iwuoha, M. Maaza, Zea mays leaf extract mediated synthesis of nickel oxide nanoparticles as positive electrode material for asymmetric supercapacitor, *Journal of Alloys and Compounds*, 822 (2020) 153581.

[26] K. Baranwal, L.M. Dwivedi, V. Singh, Guar gum mediated synthesis of NiO nanoparticles: An efficient catalyst for reduction of nitroarenes with sodium borohydride, *International journal of biological macromolecules*, 120 (2018) 2431-2441.

[27] P. Rameshthangam, J.P. Chitra, Synergistic anticancer effect of green synthesized nickel nanoparticles and quercetin extracted from *Ocimum sanctum* leaf extract, *Journal of materials science & technology*, 34 (2018) 508-522.

[28] F. Ibraheem, M.H. Aziz, M. Fatima, F. Shaheen, S.M. Ali, Q. Huang, In vitro Cytotoxicity, MMP and ROS activity of green synthesized nickel oxide nanoparticles using extract of *Terminalia chebula* against MCF-7 cells, *Materials Letters*, 234 (2019) 129-133.

[29] M. Chen, Y. Zhang, B. Huang, X. Yang, Y. Wu, B. Liu, Y. Yuan, G. Zhang, Evaluation of the antitumor activity by Ni nanoparticles with verbascoside, *Journal of Nanomaterials*, 2013 (2013).

[30] Y. Kuang, Q. Wang, Z. Chen, M. Megharaj, R. Naidu, Heterogeneous Fenton-like oxidation of monochlorobenzene using green synthesis of iron nanoparticles, *Journal of colloid and interface science*, 410 (2013) 67-73.

[31] (a) Ghashghaii, A., Hashemnia, M., Nikousefat, Z., Zangeneh, M.M., Zangeneh, A., 2017. *Pharmaceutical Sciences* 23, 256-263. (b) Goorani, S., Shariatifar, N., Seydi, N., Zangeneh, A., Moradi, R., Tari, B., Nazari, F., Zangeneh, M.M., 2019. *Oriental Pharmacy and Experimental Medicine* 19, 403-413. (c) Tahvilian R, Zangeneh MM, Falahi H, et al. Green synthesis and chemical characterization of copper nanoparticles using *Allium saralicum* leaves and assessment of their cytotoxicity, antioxidant, antimicrobial, and cutaneous wound healing properties. *Appl Organometal Chem.* 2019; 33: e5234. DOI: 10.1002/aoc.5234.

[32] You C, Han C, Wang X, et al. The progress of silver nanoparticles in the antibacterial mechanism, clinical application and cytotoxicity, *Mol. Biol. Rep.* 2012; 39: 9193–9201. <https://doi.org/10.1007/s11033-012-1792-8>.

[33] Mao BH *et al.* Mechanisms of silver nanoparticle-induced toxicity and important role of autophagy. *Nanotoxicol.* 2016; 10: 1021–1040.

[34] Namvar F, Rahman HS, Mohamad R, et al. Cytotoxic effect of magnetic iron oxide nanoparticles synthesized via seaweed aqueous extract. *Int J Nanomedicine* 2014; 19: 2479-88.

[35] Sankar R, Maheswari R, Karthik S, et al. Anticancer activity of *Ficus religiosa* engineered copper oxide nanoparticles. *Mat Sci Eng C* 2014; 44: 234-239.

[36] Beheshtkhoo N, Kouhbanani MAJ, Savardashtaki A, et al. Green synthesis of iron oxide nanoparticles by aqueous leaf extract of *Daphne mezereum* as a novel dye removing material. *Appl Phys A* 2018; 124: 363-369.

[37] Radini IA, Hasan N, Malik MA, et al. Biosynthesis of iron nanoparticles using *Trigonella foenum-graecum* seed extract for photocatalytic methyl orange dye degradation and antibacterial applications. *J Photochem Photobiol B* 2018; 183: 154-163.

[38] Sangami S, Manu M. Synthesis of Green Iron Nanoparticles using Laterite and their application as a Fenton-like catalyst for the degradation of herbicide Ametryn in water, *Environ. Technol. Innov.* 2017; 8: 150–163.

[39] Katata-Seru L, Moremedi T, Aremu OS, et al. Green synthesis of iron nanoparticles using *Moringa oleifera* extracts and their applications: Removal of nitrate from water and antibacterial activity against *Escherichia coli*. *J Mol Liq* 2018; 256: 296-304.

Preprint