


Supplementary Figure S1. The flow diagram of study selection.

List of articles included in this study

Ahmad N, Javaid A, Sulaiman SA, Ming LC, Ahmad I, Khan AH. Resistance patterns, prevalence, and predictors of fluoroquinolones resistance in multidrug resistant tuberculosis patients. Braz J Infect Dis. 2016;20(1):41-47.

Abdella K, Abdissa K, Kebede W, Abebe G. Drug resistance patterns of Mycobacterium tuberculosis complex and associated factors among retreatment cases around Jimma, Southwest Ethiopia. BMC Public Health. 2015;15:599.

Abebe G, Abdissa K, Abdissa A, Apers L, Agonafir M, de-Jong BC, Colebunders R. Relatively low primary drug-resistant tuberculosis in southwestern Ethiopia. BMC Res Notes. 2012;5:225.

Abouyannis M, Dacombe R, Dambe I, Mpunga J, Faragher B, Gausi F, Ndhlovu H, Kachiza C, Suarez P, Mundy C, Banda HT, Nyasulu I, Squire SB. Drug resistance of Mycobacterium tuberculosis in Malawi: a cross-sectional survey. Bull World Health Organ. 2014;92(11):798-806.

Adwani S, Desai UD, Joshi JM. Prevalence of pre-extensively drug-resistant tuberculosis (Pre XDR-TB) and extensively drug-resistant tuberculosis (XDR-TB) among pulmonary multidrug resistant tuberculosis (MDR-TB) at a tertiary care center in Mumbai. Journal of Krishna Institute of Medical Sciences University. 2016;5:13–19.

Afroz H, Ali MA, Fakruddin M, Kamrunnahar DS. Prevalence and treatment follow-up of drug-resistant extra-pulmonary tuberculosis in rural communities in Narshingdi, Bangladesh. Int J Adv Med. 2014;1:71–77.

Agarwal M, Gunal S, Durmaz R, Yang Z. Integration of Mycobacterium tuberculosis drug susceptibility testing and genotyping with epidemiological data analysis to gain insight into the epidemiology of drug-resistant tuberculosis in Malatya, Turkey. J Clin Microbiol. 2010;48(9):3301–3305.

Aguiar F, Vieira MA, Staviack A, Buarque C, Marsico A, Fonseca L, Chaisson R, Kristski A, Werneck G, Mello F. Prevalence of anti-tuberculosis drug resistance in an HIV/AIDS reference hospital in Rio de Janeiro, Brazil. Int J Tuberc Lung Dis. 2009;13(1):54-61.

Aia P, Kal M, Lavu E, John LN, Johnson K, Coulter C, Ershova J, Tosas O, Zignol M, Ahmadova S, Islam T. The burden of drug-resistant tuberculosis in Papua New Guinea: results of a large population-based survey. PLoS One. 2016;11(3):e0149806.

Akhtar AM, Arif MA, Kanwal S, Majeed S. Prevalence and drug resistance pattern of MDR TB in retreatment cases of Punjab, Pakistan. J Pak Med Assoc. 2016;66(8):989–893.

Alberte-Castiñeiras A, Brezmes-Valdivieso MF, Campos-Bueno A, Montes-Martinez I, López-Medrano R, Avellaneda C, Pérez-Pascual P, Della-Latta P. Drug-resistant tuberculosis in Castilla-León, Spain, 1996-2000. Int J Tuberc Lung Dis. 2006;10(5):554-558.

Alikhanova N, Akhundova I, Seyfaddinova M, Mammadbayov E, Mirtskulava V, Rusch-Gerdes S, et al. First national survey of anti-tuberculosis drug resistance in Azerbaijan and risk factors analysis. Public Health Action. 2014;4(Suppl 2):S17-23.

Amala SE, Silas G. The prevalence of tuberculosis (TB) and multiple drug-resistant tuberculosis (MDR-TB) in Bayelsa state, Nigeria. Asian Journal of Health and Medical Research. 2019;5:1-5.

Anunnatsiri S, Chetchotisakd P, Wanke C. Factors associated with treatment outcomes in pulmonary tuberculosis in northeastern Thailand. Southeast Asian J Trop Med Public Health. 2005;36(2):324–330.

Anwaierjiang A, Wang Q, Liu H, Yin C, Xu M, Li M, Liu M, Liu Y, Zhao X, Liu J, Li G, Mijiti X, Wan K. Prevalence and molecular characteristics based on whole genome sequencing of *Mycobacterium tuberculosis* resistant to four anti-tuberculosis drugs from Southern Xinjiang, China. Infect Drug Resist. 2021;14:3379-3391.

Ayaz A, Hasan Z, Jafri S, Inayat R, Mangi R, Channa AA, Malik FR, Ali A, Rafiq Y, Hasan R. Characterizing Mycobacterium tuberculosis isolates from Karachi, Pakistan: drug resistance and genotypes. Int J Infect Dis. 2012;16(4):e303-309.

Ba Diallo A, Ossoga GW, Daneau G, Lo S, Ngandolo R, Djaibé CD, Djouater B, Mboup S, de Jong BC, Diallo AG, Gehre F. Emergence and clonal transmission of multi-drug-resistant tuberculosis among patients in Chad. BMC Infect Dis. 2017;17(1):579.

Bastos GM, Cezar MC, Mello FC, Conde MB. Prevalence of primary drug resistance in pulmonary tuberculosis patients with no known risk factors for such. J Bras Pneumol. 2012;38(6):733.

Becerril-Montes P, Said-Fernandez S, Luna-Herrera J, Caballero-Olin G, Enciso-Moreno JA, Martinez-Rodriguez HG, et al. A population-based study of first and second-line drug-resistant tuberculosis in a high burden area of the Mexico/United States border. Mem Inst Oswaldo Cruz. 2013;108(2):160–166.

Bedaso MH, Kalil FS. Trends of drug resistance tuberculosis from 2014 to 2018, Bale Zone, Oromia Region, Ethiopia. Infect Drug Resist. 2021;14:2073–2078.

Bhat J, Rao VG, Yadav R, Muniyandi M, Sharma R, Karfarma C, Luke C. Situation of drug-resistant tuberculosis in Saharia tribe of central India. Indian J Med Res. 2015;141(5):636-639.

Bhembe NL, Green E. Molecular epidemiological study of multi drug resistant tuberculosis isolated from sputum samples in Eastern Cape, South Africa. Infect Genet Evol. 2020;80:104182.

Bojorquez-Chapela I, Bäcker CE, Orejel I, López A, Díaz-Quiñonez A, Hernández-Serrato MI, Balandrano S, Romero M, Téllez-Rojo Solís MM, Castellanos M, Alpuche C, Hernández-Ávila M, López-Gatell H. Drug resistance in Mexico: results from the national survey on drug-resistant tuberculosis. Int J Tuberc Lung Dis. 2013;17(4):514-519.

Brandao AP, Pinhata JMW, Simonsen V, Oliveira RS, Ghisi KT, Rabello MCS, Fukasava S, Ferrazoli L. Transmission of Mycobacterium tuberculosis presenting unusually high discordance between genotypic and phenotypic resistance to rifampicin in an endemic tuberculosis setting. Tuberculosis (Edinb). 2020;125:102004.

Brito RC, Mello FC, Andrade MK, Oliveira H, Costa W, Matos HJ, Lourenço MC, Rolla VC, Fonseca L, Ruffino Netto A, Kritski AL. Drug-resistant tuberculosis in six hospitals in Rio de Janeiro, Brazil. Int J Tuberc Lung Dis. 2010;14(1):24-33.

Buyankhishig B, Naranbat N, Mitarai S, Rieder HL. Nationwide survey of anti-tuberculosis drug resistance in Mongolia. Int J Tuberculosis Lung Dis. 2011;15(9):1201–1205.

Chand K, Tewari S, Varghese S. Prevalence of drug-resistant tuberculosis in armed forces-study from a tertiary referral chest diseases hospital at Pune. Med J Armed Forces India. 2000;56(2):130–134.

Cox HS, McDermid C, Azevedo V, Muller O, Coetzee D, Simpson J, Barnard M, Coetzee G, van Cutsem G, Goemaere E. Epidemic levels of drug-resistant tuberculosis (MDR and XDR-TB) in a high HIV prevalence setting in Khayelitsha, South Africa. PLoS One. 2010;5(11):e13901.

Cox HS, Orozco JD, Male R, Ruesch-Gerdes S, Falzon D, Small I, Doshetov D, Kebede Y, Aziz M. Multidrug-resistant tuberculosis in central Asia. Emerg Infect Dis. 2004;10(5):865-872.

Daniel O, Osman E. Prevalence and risk factors associated with drug resistant TB in South West, Nigeria. Asian Pac J Trop Med. 2011;4(2):148–151.

Daum LT, Konstantynovska OS, Solodiankin OS, Liashenko OO, Poteiko PI, Bolotin VI, Hrek II, Rohozhyn AV, Rodriguez JD, Fischer GW, Chambers JP, Gerilovych AP. Next-generation sequencing for characterizing drug resistance-conferring Mycobacterium tuberculosis genes from clinical isolates in the Ukraine. J Clin Microbiol. 2018;56(6):e00009-18.

Dagne B, Desta K, Fekade R, Amare M, Tadesse M, Diriba G, Zerihun B, Getu M, Sinshaw W, Seid G, Gamtesa DF, Assefa G, Alemu A. The Epidemiology of first and second-line drug-resistance Mycobacterium tuberculosis complex common species: Evidence from selected TB treatment initiating centers in Ethiopia. PLoS One. 2021;16(1):e0245687.

Deng Y, Wang Y, Wang J, Jing H, Yu C, Wang H, Liu Z, Graviss EA, Ma X. Laboratory-based surveillance of extensively drug-resistant tuberculosis, China. Emerg Infect Dis. 2011;17(3):495-497.

Dewan P, Sosnovskaja A, Thomsen V, Cicenaite J, Laserson K, Johansen I, Davidaviciene E, Wells C. High prevalence of drug-resistant tuberculosis, Republic of Lithuania, 2002. Int J Tuberc Lung Dis. 2005;9(2):170-174.

Diandé S, Badoum G, Combary A, Zombra I, Saouadogo T, Sawadogo LT, Nébié B, Gnanou S, Zigani A, Ouédraogo SM, Diallo A, Kaboré S, Sangaré L. Multidrug-resistant tuberculosis in Burkina Faso from 2006 to 2017: Results of National Surveys. Eur J Microbiol Immunol. 2019;9(1):23-28.

Dinic L, Akande P, Idigbe EO, Ani A, Onwujekwe D, Agbaji O, Akanbi M, Nwosu R, Adeniyi B, Wahab M, Lekuk C, Kunle-Ope C, Nwokoye N, Kanki P. Genetic determinants of drug-resistant tuberculosis among HIV-infected patients in Nigeria. J Clin Microbiol. 2012;50(9):2905-2909.

Diriba G, Kebede A, Tola HH, Alemu A, Tadesse M, Tesfaye E, Mehamed Z, Meaza A, Yenew B, Molalign H, Dagne B, Sinshaw W, Amare M, Moga S, Abebaw Y, Sied G. Surveillance of drug resistance tuberculosis based on reference laboratory data in Ethiopia. Infect Dis Poverty. 2019;8(1):54.

Djuretic T, Herbert J, Drobniewski F, Yates M, Smith EG, Magee JG, Williams R, Flanagan P, Watt B, Rayner A, Crowe M, Chadwick MV, Middleton AM, Watson JM. Antibiotic resistant tuberculosis in the United Kingdom: 1993-1999. Thorax. 2002;57(6):477-482.

Dodd PJ, Sismanidis C, Seddon JA. Global burden of drug-resistant tuberculosis in children: a mathematical modelling study. Lancet Infect Dis. 2016;16(10):1193–1201.

Dujaili JA, Blebil AQ, Dujaili MA, Awaisu A, Hassali MA, Syed Sulaiman SA. Prevalence of pulmonary tuberculosis and multi drug resistant tuberculosis patients in Baghdad, Iraq. Value Health. 2013;16(3):A82.

El Achkar S. Prevalence of drug-resistant tuberculosis assessed by next generation sequencing: an 18-month nationwide study in Lebanon: Universite de Lille; 2019.

Elmi OS, Hasan H, Abdullah S, Jeab MZM, Zilfalil B, Naing NN. Prevalence and associated factors with transmission of latent tuberculosis among household contacts of multi-drug resistant tuberculosis patients in Malaysia. World J Med Sci. 2014;10(3):285–294.

Fairlie L, Beylis NC, Reubenson G, Moore DP, Madhi SA. High prevalence of childhood multi-drug-resistant tuberculosis in Johannesburg, South Africa: a cross-sectional study. BMC Infect Dis. 2011;11:28.

Faridi M, Shukla I, Fatima N, Varshney S, Shameem M. Prevalence of primary pulmonary multi-drug-resistant tuberculosis in and around Aligarh Region. J Med Microb Diagn. 2018;7(285):2161.

Gallo JF, Pinhata JMW, Simonsen V, Galesi VMN, Ferrazoli L, Oliveira RS. Prevalence, associated factors, outcomes and transmission of extensively drug-resistant tuberculosis among multidrug-resistant tuberculosis patients in Sao Paulo, Brazil: a cross-sectional study. Clin Microbiol Infect. 2018;24(8):889–895.

Gehre F, Otu J, Kendall L, Forson A, Kwara A, Kudzawu S, Kehinde AO, Adebiyi O, Salako K, Baldeh I, Jallow A, Jallow M, Dagnra A, Dissé K, Kadanga EA, Idigbe EO, Onubogu C, Onyejepu N, Gaye-Diallo A, Ba-Diallo A, Rabna P, Mane M, Sanogo M, Diarra B, Dezemon Z, Sanou A, Senghore M, Kwambana-Adams BA, Demba E, Faal-Jawara T, Kumar S, Tientcheu LD, Jallow A, Ceesay S, Adetifa I, Jaye A, Pallen MJ, D'Alessandro U, Kampmann B, Adegbola RA, Mboup S, Corrah T, de Jong BC, Antonio M. The emerging threat of pre-extensively drug-resistant tuberculosis in West Africa: preparing for large-scale tuberculosis research and drug resistance surveillance. BMC Med. 2016;14(1):160.

Ghebremichael S, Petersson R, Koivula T, Pennhag A, Romanus V, Berggren I, Petrini B, Hoffner S, Källenius G. Molecular epidemiology of drug-resistant tuberculosis in Sweden. Microbes Infect. 2008;10(6):699-705.

Gilad J, Borer A, Riesenberg K, Peled N, Schlaeffer F. Epidemiology and ethnic distribution of multidrug-resistant tuberculosis in Southern Israel, 1992–1997. Chest. 2000;117(3):738–743.

Hang NT, Maeda S, Lien LT, Thuong PH, Hung NV, Thuy TB, Nanri A, Mizoue T, Hoang NP, Cuong VC, Ngoc KT, Sakurada S, Endo H, Keicho N. Primary drug-resistant tuberculosis in Hanoi, Vietnam: present status and risk factors. PLoS One. 2013;8(8):e71867.

Hannan MM, Peres H, Maltez F, Hayward AC, Machado J, Morgado A, Proenca R, Nelson MR, Bico J, Young DB, Gazzard BS. Investigation and control of a large outbreak of multidrug-resistant tuberculosis at a central Lisbon hospital. J Hosp Infect. 2001;47(2):91-97.

Hom JK, Wang B, Chetty S, Giddy J, Mazibuko M, Allen J, Walensky RP, Losina E, Freedberg KA, Bassett IV. Drug-resistant tuberculosis among HIV-infected patients starting antiretroviral therapy in Durban, South Africa. PLoS One. 2012;7(8):e43281.

Hu Y, Mathema B, Wang W, Hoffner S, Kreiswirth B, Xu B. Prevalence of multidrug-resistant pulmonary tuberculosis in counties with different duration of DOTS implementation in rural China. Microb Drug Resist. 2008;14(3):227–232.

Hu Y, Hoffner S, Wu L, Zhao Q, Jiang W, Xu B. Prevalence and genetic characterization of second-line drug-resistant and extensively drug-resistant Mycobacterium tuberculosis in Rural China. Antimicrob Agents Chemother. 2013;57(8):3857-3863.

Ignatova A, Dubiley S, Stepanshina V, Shemyakin I. Predominance of multi-drug-resistant LAM and Beijing family strains among Mycobacterium tuberculosis isolates recovered from prison inmates in Tula Region, Russia. J Med Microbiol. 2006;55(10):1413–1418.

Isaakidis P, Das M, Kumar AM, Peskett C, Khetarpal M, Bamne A, Adsul B, Manglani M, Sachdeva KS, Parmar M, Kanchar A, Rewari BB, Deshpande A, Rodrigues C, Shetty A, Rebello L, Saranchuk P. Alarming levels of drug-resistant tuberculosis in HIV-infected patients in metropolitan Mumbai, India. PLoS One. 2014;9(10):e110461.

Ismail NA, Mvusi L, Nanoo A, Dreyer A, Omar SV, Babatunde S, Molebatsi T, van der Walt M, Adelekan A, Deyde V, Ihekweazu C, Madhi SA. Prevalence of drug-resistant tuberculosis and imputed burden in South Africa: a national and sub-national cross-sectional survey. Lancet Infect Dis. 2018;18(7):779-787.

Israel K, Jean-Baptiste G, Julceus E, Docteur W, Sohler N, editors. Prevalence of multidrug-resistant tuberculosis in Zanmi Lasante Network among Patients who had a GeneXpert Testing from October 2014 to September 2015. 9th Annual CUGH Conference, 2018.

Jacobs MG, Pinto VL. Characterization of drug-resistant tuberculosis in Brazil, 2014. Epidemiologia e Servicos de Saud. 2020;28:e2018294.

Jiao WW, Liu ZG, Han R, Zhao XQ, Dong F, Dong HY, Huang HR, Li QJ, Lin N, Song WQ, Wan KL, Shen AD. Prevalence of drug-resistant Mycobacterium tuberculosis among children in China. Tuberculosis (Edinb). 2015;95(3):315-320.

Juma SP, Maro A, Pholwat S, Mpagama SG, Gratz J, Liyoyo A, Houpt ER, Kibiki GS, Mmbaga BT, Heysell SK. Underestimated pyrazinamide resistance may compromise outcomes of pyrazinamide containing regimens for treatment of drug susceptible and multi-drug-resistant tuberculosis in Tanzania. BMC Infect Dis. 2019;19(1):129.

Kamolwat P, Nateniyom S, Chaiprasert A, Disratthakit A, Mahasirimongkol S, Yamada N, Smithtikarn S. Prevalence and associated risk factors of drug-resistant tuberculosis in Thailand: results from the fifth national anti-tuberculosis drug resistance survey. Trop Med Int Health. 2021;26(1):45-53.

Kigozi E, Kasule GW, Musisi K, Lukoye D, Kyobe S, Katabazi FA, Wampande EM, Joloba ML, Kateete DP. Prevalence and patterns of rifampicin and isoniazid resistance conferring mutations in Mycobacterium tuberculosis isolates from Uganda. PLoS One. 2018;13(5):e0198091.

Kinjal R, Firoz G, Iva C, Gaurang K, Pradeep P. Study on prevalence of drug resistance and genetic mutation pattern among suspected drug-resistant pulmonary tuberculosis cases in Jamnagar district. National Journal of Integrated Research in Medicine. 2019;10(4).

Kontsevaya I, Nikolayevskyy V, Kovalyov A, Ignatyeva O, Sadykhova A, Simak T, Tikhonova O, Dubrovskaya Y, Vasiliauskiene E, Davidaviciene E, Skenders G, Makurina O, Balabanova Y, Drobniewski F. Tuberculosis cases caused by heterogeneous infection in Eastern Europe and their influence on outcomes. Infect Genet Evol. 2017;48:76-82.

Kulkarni GS, Palwe SD, Patil NP, Telkhade AJ, Kadukar J. Prevalence of multidrug-resistant tuberculosis at a regional drug-resistant tuberculosis center of Maharashtra. Indian J Respir Care. 2020;9(1):30.

Laghari GS, Hussain Z, Khemani L, Hussain SZM, Yaqoob U. Burden of drug-resistant pulmonary tuberculosis in Pakistani children: a cross-sectional study. F1000Research. 2019;8:344.

Lai CC, Tan CK, Huang YT, Chou CH, Hung CC, Yang PC, Luh KT, Hsueh PR. Extensively drug-resistant Mycobacterium tuberculosis during a trend of decreasing drug resistance from 2000 through 2006 at a Medical Center in Taiwan. Clin Infect Dis. 2008;47(7):e57-63.

Lapphra K, Sutthipong C, Foongladda S, Vanprapar N, Phongsamart W, Wittawatmongkol O, Saksawad R, Chokephaibulkit K. Drug-resistant tuberculosis in children in Thailand. Int J Tuberc Lung Dis. 2013;17(10):1279-1284.

Lee SW, Jeon K, Kim KH, Min KH. Multidrug-resistant pulmonary tuberculosis among young Korean soldiers in a communal setting. J Korean Med Sci. 2009;24(4):592–295.

Lukoye D, Adatu F, Musisi K, Kasule GW, Were W, Odeke R, Kalamya JN, Awor A, Date A, Joloba ML. Anti-tuberculosis drug resistance among new and previously treated sputum smear-positive tuberculosis patients in Uganda: results of the first national survey. PLoS One. 2013;8(8):e70763.

Magula NP, Madala ND, Kriel Y, Bayi V, Duze NP, Manzini TC, Matshela R, Naidoo DP, Mayosi BM. Prevalence of drug-resistant tuberculosis in patients presenting with a large pericardial effusion at King Edward VIII Hospital. International Journal of Infectious Diseases. 2014;215:1-460.

Mahabeer P, Khan M, Mlisana K. Drug-resistant tuberculosis in children less than 5 years old with culture positive mycobacterium tuberculosis. International Journal of Infectious Diseases. 2016;45:212–213.

Masood R, Muhammad IN, Siddiqui T, Mushtaque M, Irshad A. High prevalence of DR-TB (drug-resistant tuberculosis): an indicator of public health negligence. Pak J Pharm Sci. 2019;32(4):1529–1536.

Mazahir R, Beig FK, Ahmed Z, Alam S. Burden of tuberculosis among household children of adult multi drug resistant patients and their response to first line anti tubercular drugs. Egypt Pediatr Assoc Gazette. 2017;65(4):122–126.

Mekonnen F, Tessema B, Moges F, Gelaw A, Eshetie S, Kumera G. Multidrug resistant tuberculosis: prevalence and risk factors in districts of Metema and West Armachiho, Northwest Ethiopia. BMC Infect Dis. 2015;15:461.

Mesfin EA, Beyene D, Tesfaye A, Admasu A, Addise D, Amare M, Dagne B, Yaregal Z, Tesfaye E, Tessema B. Drug-resistance patterns of Mycobacterium tuberculosis strains and associated risk factors among multi drug-resistant tuberculosis suspected patients from Ethiopia. PLoS One.2018;13(6):e0197737.

Micheletti VCD, Moreira JS, Ribeiro MO, Kritski AL, Braga JU. Drug-resistant tuberculosis in subjects included in the second national survey on antituberculosis drug resistance in Porto Alegre, Brazil. J Bras Pneumol. 2014;40(2):155–163.

Micheni LN, Kassaza K, Kinyi H, Ntulume I, Bazira J. Rifampicin and isoniazid drug resistance among patients diagnosed with pulmonary tuberculosis in southwestern Uganda. PLoS ONE. 2021;16(10): e0259221.

Montoro E, Lemus D, Echemendía M, Armas L, González-Ochoa E, Llanes MJ, Valdivia JA. Drug-resistant tuberculosis in Cuba. Results of the three global projects. Tuberculosis (Edinb). 2006;86(3-4):319-323.

Ogari CO, Nyamache AK, Nonoh J, Amukoye E. Prevalence and detection of drug-resistant mutations in Mycobacterium tuberculosis among drug naive patients in Nairobi, Kenya. BMC Infect Dis. 2019;19(1):279.

Otokunefor K, Otokunefor TV, Omakwele G. Multidrug-resistant Mycobacterium tuberculosis in Port Harcourt, Nigeria. Afr J Lab Med. 2018;7(2):805.

Oyedeji GJ, Adeyemo C, Dissou A, Abiodun T, Alli OAT, Onaolapo OJ, Onaolapo AY, Adesiji Y, Olowe OA. Prevalence of multi-drug resistant tuberculosis among tuberculosis patients attending chest clinics in Osun-State, Nigeria. Curr Pharm Biotechnol. 2020;21(10):939-947.

Pang Y, Zhu D, Zheng H, Shen J, Hu Y, Liu J, Zhao Y. Prevalence and molecular characterization of pyrazinamide resistance among multidrug-resistant Mycobacterium tuberculosis isolates from Southern China. BMC Infect Dis. 2017;17(1):711.

Pardini M, Niemann S, Varaine F, Iona E, Meacci F, Orrù G, Yesilkaya H, Jarosz T, Andrew P, Barer M, Checchi F, Rinder H, Orefici G, Rüsch-Gerdes S, Fattorini L, Oggioni MR, Bonnet M. Characteristics of drug-resistant tuberculosis in Abkhazia (Georgia), a high-prevalence area in Eastern Europe. Tuberculosis (Edinb). 2009;89(4):317-324.

Patil S, Nakate P, Patil S, Shelke Y. Prevalence of multi-drug resistant (MDR) pulmonary tuberculosis in a tertiary care rural hospital in Western Maharashtra, India. Indian J Microbiol Res. 2019, 6(3):237-240.

Phyu S, Lwin T, Ti T, Maung W, Mar WW, Shein SS, Grewal HM. Drug-resistant tuberculosis in Yangon, Myanmar. Scand J Infect Dis. 2005;37(11-12):846-851.

Pleumpanupat W, Jittimanee S, Akarasewi P, Rienthong S, Jittimanee S, Chiewlian Y, Phunpruk S, Malainual C, Ngamtrairai N, Adedipe A. Resistance to anti-tuberculosis drugs among smear-positive cases in Thai prisons 2 years after the implementation of the DOTS strategy. Int J Tuberc Lung Dis. 2003;7(5):472-477.

Porwal C, Kaushik A, Makkar N, Banavaliker JN, Hanif M, Singla R, Bhatnagar AK, Behera D, Pande JN, Singh UB. Incidence and risk factors for extensively drug-resistant tuberculosis in Delhi region. PLoS One. 2013;8(2):e55299.

Prakash R, Kumar D, Gupta VK, Jain S, Chauhan DS, Tiwari PK, Katoch VM. Status of multidrug resistant tuberculosis (MDR-TB) among the Sahariya tribe of North Central India. J Infect Public Health. 2016;9(3):289-297.

Ramzan MM, Sabayev V, Anwar N, Patel A, Asnis D, Avaiya A, Shrestha S. Prevalence of drug-resistant tuberculosis among Asians: a flushing hospital experience. Chest. 2004;126:753S.

Rashedi J, Mahdavi Poor B, Rafi A, Asgharzadeh M, Abdolalizadeh J, Moaddab SR. Multidrug-resistant tuberculosis in north-west of Iran and Republic of Azerbaijan: a major public health concern for Iranian people. J Res Health Sci. 2015;15(2):101–103.

Saldanha N, Runwal K, Ghanekar C, Gaikwad S, Sane S, Pujari S. High prevalence of multi drug resistant tuberculosis in people living with HIV in Western India. BMC Infect Dis. 2019;19(1):391.

Safwat TM, Elmasry AA, Mohamed AKM. Prevalence of multi drug-resistant tuberculosis at Abbassia Chest Hospital from July 2006 to 2009. Egypt J Bronchol. 2011;5(2):124–130.

Santos LC, Bousquet Hde M, Pereira AM, Junqueira-Kipnis AP, Kipnis A. A high prevalence of resistance in new tuberculosis cases of midwestern Brazil. Infect Genet Evol. 2010;10(7):1052–1057.

Seddon JA, Hesseling AC, Marais BJ, Jordaan A, Victor T, Schaaf HS. The evolving epidemic of drug-resistant tuberculosis among children in Cape Town, South Africa. Int J Tuberc Lung Dis. 2012;16(7):928-933.

Shah MA, Shah I. Increasing prevalence of pediatric drug-resistant tuberculosis in Mumbai, India, and its outcome. Pediatr Infect Dis J. 2018;37(12):1261–1263.

Sharaf Eldin GS, Fadl-Elmula I, Ali MS, Ali AB, Salih AL, Mallard K, Bottomley C, McNerney R. Tuberculosis in Sudan: a study of Mycobacterium tuberculosis strain genotype and susceptibility to anti-tuberculosis drugs. BMC Infect Dis. 2011;11:219.

Shibabaw A, Gelaw B, Gebreyes W, Robinson R, Wang SH, Tessema B. The burden of pre-extensively and extensively drug-resistant tuberculosis among MDR-TB patients in the Amhara region, Ethiopia. PLoS One. 2020;15(2): e0229040.

Sidze LK, Mouafo Tekwu E, Kuaban C, Assam Assam JP, Tedom JC, Eyangoh S, Fouda FX, Nolna D, Ntoumi F, Frank M, Penlap Beng VN. Strong decrease in streptomycin-resistance and absence of XDR 12 years after the reorganization of the national tuberculosis control program in the central region of Cameroon. PLoS One. 2014;9(6):e98374.

Singhal R, Arora J, Sah GC, Bhalla M, Sarin R, Prasad MV. Frequency of multi-drug resistance and mutations in Mycobacterium tuberculosis isolates from Punjab state of India. J Epidemiol Glob Health. 2017;7(3):175–180.

Smith CM, Lessells R, Grant AD, Herbst K, Tanser F. Spatial clustering of drug-resistant tuberculosis in Hlabisa subdistrict, KwaZulu-Natal, 2011–2015. Int J Tuberc Lung Dis. 2018;22(3):287–293.

Soliman NS. Prevalence of multidrug-resistant tuberculosis using phenotypic drug susceptibility testing and GeneXpert MTB/RIF with characterization of non-tuberculous mycobacteria using MALDI-TOF. Egyp J Med Microbiol. 2021;30(3):143–151.

Surucuoglu S, Ozkutuk N, Celik P, Gazi H, Dinc G, Kurutepe S, Koroglu G, Havlucu Y, Tuncay G. Drug-resistant pulmonary tuberculosis in western Turkey: prevalence, clinical characteristics and treatment outcome. Ann Saudi Med. 2005;25(4):313-318.

Tasbiti AH, Yari S, Ghanei M, Shokrgozar MA, Fateh A, Bahrmand A. Low levels of extensively drug-resistant tuberculosis among multidrug resistant tuberculosis isolates and their relationship to risk factors: surveillance in Tehran, Iran; 2006 to 2014. Osong Public Health Res Perspect. 2017;8(2):116–123.

Timire C, Metcalfe JZ, Chirenda J, Scholten JN, Manyame-Murwira B, Ngwenya M, Matambo R, Charambira K, Mutunzi H, Kalisvaart N, Sandy C. Prevalence of drug-resistant tuberculosis in Zimbabwe: A health facility-based cross-sectional survey. Int J Infect Dis. 2019;87:119-125.

Ullah I, Shah AA, Basit A, Ali M, Khan A, Ullah U, Ihtesham M, Mehreen S, Mughal A, Javaid A. Rifampicin resistance mutations in the 81 bp RRDR of rpoB gene in Mycobacterium tuberculosis clinical isolates using Xpert MTB/RIF in Khyber Pakhtunkhwa, Pakistan: a retrospective study. BMC Infect Dis. 2016;16:413.

Um S-J, Son C, Roh MS, Lee S-K, Kim KH, Huh J, et al. Prevalence of multi drug resistant pulmonary tuberculosis in intermediate Endemism Country. CHEST Journal. 2011;138(4):A1824.

Van Rie A, Warren R, Richardson M, Gie RP, Enarson DA, Beyers N, Van Helden PD. Classification of drug-resistant tuberculosis in an epidemic area. Lancet. 2000;356(9223):22-25.

Villa-Rosas C, Laniado-Laborin R, Oceguera-Palao L. Primary drug resistance in a region with high burden of tuberculosis. A critical problem. Salud Publica Mex. 2015;57(2):177–179.

Wang X, Fu Q, Li Z, Chen S, Liu Z, Nelson H, Yang Q, Jia Z, Dye C. Drug-resistant tuberculosis in Zhejiang Province, China, 1999-2008. Emerg Infect Dis. 2012;18(3):496-498.

Wang G, Peng YL, Zhang G, Zhang L, Xing J, Li D, Wang L, Song H, Ding D, Duanmu HJ, Zhang Z, Zhang G. Sample survey of drug-resistant tuberculosis in Henan, China, 1996. Respirology. 2002;7(1):67-72.

Wang W, Wang J, Zhao Q, Darling ND, Yu M, Zhou B, Xu B. Contribution of rural-to-urban migration in the prevalence of drug-resistant tuberculosis in China. Eur J Clin Microbiol Infect Dis. 2011;30(4):581-586.

Wang D, Yang C, Kuang T, Lei H, Meng X, Tong A, He J, Jiang Y, Guo F, Dong M. Prevalence of multidrug and extensively drug-resistant tuberculosis in Beijing, China: a hospital-based retrospective study. Jpn J Infect Dis. 2010;63(5):368-371.

Wang SF, Yang Z, Yu P, Hui Wen Z, Yan LZ. Prevalence and risk factors of primary drug-resistant tuberculosis in China. Biomed Environ Sci. 2016;29(2):91–98.

Wang G, Jiang G, Jing W, Zong Z, Yu X, Chen S, Li W, Huang H. Prevalence and molecular characterizations of seven additional drug resistance among multidrug-resistant tuberculosis in China: A subsequent study of a national survey. J Infect. 2021;82(3):371-377.

Wu B, Zhang L, Liu Z, He H, Pan A, Wang F, Zhang M, Chen B, Lu Z, Chen S, Wang X. Drug-resistant tuberculosis in Zhejiang Province, China: an updated analysis of time trends, 1999-2013. Glob Health Action. 2017;10(1):1293925.

Xiang Y, Ying L, Liu J, Su Q, Shen J, Zhan J, Xu R, Xiong H, Lin H. An epidemiological study of resistant tuberculosis in Chongqing, China. J Med Colleges of PLA. 2011;26(3):158–173.

Yang X, Yuan Y, Pang Y, Wang B, Bai Y, Wang Y, Yu B, Zhang Z, Fan M, Zhao Y. The burden of MDR/XDR tuberculosis in coastal plains population of China. PLoS One. 2015;10(2):e0117361.

Yang Y, Zhou C, Shi L, Meng H, Yan H. Prevalence and characterization of drug-resistant tuberculosis in a local hospital of Northeast China. Int J Infect Dis. 2014;22:83-86.

Yoshiyama T, Supawitkul S, Kunyanone N, Riengthong D, Yanai H, Abe C, Ishikawa N, Akarasewi P, Payanandana V, Mori T. Prevalence of drug-resistant tuberculosis in an HIV endemic area in northern Thailand. Int J Tuberc Lung Dis. 2001;5(1):32-39.

Zazueta-Beltran J, León-Sicairos N, Muro-Amador S, Flores-Gaxiola A, Velazquez-Roman J, Flores-Villaseñor H, Canizalez-Roman A. Increasing drug resistance of Mycobacterium tuberculosis in Sinaloa, Mexico, 1997-2005. Int J Infect Dis. 2011;15(4):e272-276.

Zhao LL, Chen Y, Chen ZN, Liu HC, Hu PL, Sun Q, Zhao XQ, Jiang Y, Li GL, Tan YH, Wan KL. Prevalence and molecular characteristics of drug-resistant Mycobacterium tuberculosis in Hunan, China. Antimicrob Agents Chemother. 2014;58(6):3475-3480.

Zhao LL, Huang MX, Xiao TY, Liu HC, Li MC, Zhao XQ, Liu ZG, Jiang Y, Wan KL. Prevalence, risk and genetic characteristics of drug-resistant tuberculosis in a tertiary care tuberculosis hospital in China. Infect Drug Resist. 2019;12:2457-2465.